Author Index of Volume 156

Aksoy, S., 117
Asami, K., 211

Babu, S. S., 1
Baker, T. N., 63, 167
Barbangelo, A., 217
Bhadeshia, H. K. D. H., 1
Biner, S. B., 21

Chang, S. T., 143
Chaturvedi, M. C., 53
Chiang, K. T., 85
Chuang, S. C., 131

Das, A. A., 205

Gerland, M., 175
Guo, Z. X., 63

Habazaki, H., 211
Hallouin, M., 175
Hashimoto, K., 211
Higashi, K., L9
Hondo, H., 125
Hong, K. T., 43
Hong, S. H., L1
Hsu, S. E., 143
Hu, C., 167
Hu, Z. Q., 109
Huang, W., 91

Imai, T., L9
Inoue, K., L9

Jeng, S. M., 117

Kallenborn, K. J., 85
Kawashima, A., 211
Kim, J. H., 211
Kim, Y. G., L1
Korhonen, M. A., 33
Kubo, K., L9
Kuo, C. T., 131

Le Caër, G., 229
LeBoeuf, M., 11
Lee, D. H., 43
Levi, C. G., 153
Li, A. K., 131
Li, C. Y., 33
Liu, X., 91

Mabuchi, M., L9
Matteazzi, P., 229
McCullough, C., 153
Mehrabian, R., 153
Morinaga, M., 109
Morris, D. G., 11
Morris, M. A., 11
van Mourik, P., 183
Murata, Y., 109

Nam, S. W., 43, L1

Paton, N. E., 85
Perepezko, J. H., 97
Piwecki, M., 77
Prasad, B. K., 205
Prasad, S. V., 205
Prasad, Y. V. R., 195
Presles, H. N., 175

Ravichandran, N., 195
Rios, P. R., 1

Sakuma, T., 125
Sangiorgi, R., 217
Shin, D. H., 43
Starink, M. J., 183
Suk, J. I., L1

Tang, Y. J., 109
Tanimura, S., L9
Thoma, D. J., 97

Valencia, J. J., 153

Wang, H. M., 109
Wang, X., 91
Weng, B. J., 143
Wilson, H., 33

Yafang, H., 53
Yang, G., 91
Yang, J. M., 117
Yoshioka, H., 211
Yuen, J. L., 85
Yukawa, N., 109

Zhang, J. H., 109
Zheng, Z., 91
Zou, S., 91

Elsevier Sequoia

Subject Index of Volume 156

Abrasion
  mechanisms of material removal and subsurface work hardening during low-stress abrasion of a squeeze cast aluminium alloy–Al_2O_3 fibre composite, 205
Acicular ferrite
  stress and the acicular ferrite transformation, 1
Alloy 718
  effect of cold and warm working on the microstructures and mechanical properties of alloy 718, 53
Alloy IMI685
  on the microstructure and thermo-mechanical processing of a titanium alloy IMI685, 63
Alloys
  cooling and heating rate dependence of precipitation in an Al–Cu alloy, 183
  effect of aluminium on the equilibrium precipitation of a multicomponent f.c.c. carbonitride in microalloyed steels, L5
  effect of cold and warm working on the microstructures and mechanical properties of alloy 718, 53
  effects of grain boundary deformation on the creep transition under the power law regime in an Al–Mg solid solution alloy, 43
  in situ microfusion process in Al–Fe alloys, 167
  on the microstructure and thermo-mechanical processing of a titanium alloy IMI685, 63
  peritectic solidification of Ti–Al–Ta alloys in the region of γ-TiAl, 153
  phases in sputter-deposited Cu–Ta alloys, 211
  rapidly solidified MC carbide morphologies of a laserglazed single-crystal nickel-base superalloy, 109
Aluminium
  cooling and heating rate dependence of precipitation in an Al–Cu alloy, 183
  damage mechanisms of SCS-6/Ti–6Al–4V composites under thermal-mechanical fatigue, 117
  effect of aluminium on the equilibrium precipitation of a multicomponent f.c.c. carbonitride in microalloyed steels, L5
  effects of grain boundary deformation on the creep transition under the power law regime in an Al–Mg solid solution alloy, 43
  in situ microfusion process in Al–Fe alloys, 167
  influence of temperature and strain-rate on superplastic elongation in a powder metallurgy Al–Zn–Mg composite reinforced with SiN_4 whiskers, L9
  mechanisms of material removal and subsurface work hardening during low-stress abrasion of a squeeze cast aluminium alloy–Al_2O_3 fibre composite, 205
  microfracture mechanisms of fibre-reinforced aluminium composites, 143
  peritectic solidification of Ti–Al–Ta alloys in the region of γ-TiAl, 153
  the mechanical behavior of some titanium trialuminide intermetallics prepared using mechanical milling techniques, 11
Austenite
  tensile behaviour of a metastable austenitic stainless steel and its individual phase components, 77
Carbon
  interactions between liquid nickel and vitreous carbon, 217
  plastic flow in WC–13wt.% Co at high temperatures, 125
Carbonitride
  effect of aluminium on the equilibrium precipitation of a multicomponent f.c.c. carbonitride in microalloyed steels, L5
Chromium
  an experimental evaluation of the phase relationships and solubilities in the Nb–Cr system, 97
  microstructure and crystallographic features of lath martensite in Fe–10Cr–10Ni–2W maraging steel, L1
Cobalt
  plastic flow in WC–13wt.% Co at high temperatures, 125
Cold working
  effect of cold and warm working on the microstructures and mechanical properties of alloy 718, 53
Composites
  damage mechanisms of SCS-6/Ti–6Al–4V composites under thermal-mechanical fatigue, 117
  mechanisms of material removal and subsurface work hardening during low-stress abrasion of a squeeze cast aluminium alloy–Al_2O_3 fibre composite, 205
  microfracture mechanisms of fibre-reinforced aluminium composites, 143
  microstructure development and mechanical properties of Y_2O_3-doped tetragonal ZrO_2 polycrystals and mullite composites, 131
  oxidation behavior of Cu–Nb microcomposites, 85
  the role of fiber morphology on the creep behavior of discontinuous fiber reinforced composites, 21
Copper
  cooling and heating rate dependence of precipitation in an Al–Cu alloy, 183
  influence of oxygen on dynamic recrystallization during hot working of polycrystalline copper, 195
  oxidation behavior of Cu–Nb microcomposites, 85
  phases in sputter-deposited Cu–Ta alloys, 211
Creep
  effects of grain boundary deformation on the creep transition under the power law regime in an Al–Mg solid solution alloy, 43
  the role of fiber morphology on the creep behavior of discontinuous fiber reinforced composites, 21

Damage mechanisms
  damage mechanisms of SCS-6/Ti–6Al–4V composites under thermal-mechanical fatigue, 117
Deformation
  effects of grain boundary deformation on the creep transition under the power law regime in an Al–Mg solid solution alloy, 43
Deposition
  effect of Xe^+ ion bombardment during titanium deposition in nitrogen atmosphere, 91
Dynamic recrystallization
  influence of oxygen on dynamic recrystallization during hot working of polycrystalline copper, 195

Fatigue
comparison of two new surface treatment processes, laser induced shock waves and primary explosive: application to fatigue behaviour, 175
damage mechanisms of SCS-6/Ti-6Al-4V composites under thermal-mechanical fatigue, 117
Fibre morphology
the role of fiber morphology on the creep behavior of discontinuous fiber reinforced composites, 21
Fibre reinforcement
microfracture mechanisms of fibre-reinforced aluminium composites, 143
the role of fiber morphology on the creep behavior of discontinuous fiber reinforced composites, 21
Fibres
mechanisms of material removal and subsurface work hardening during low-stress abrasion of a squeeze cast aluminium alloy-Al_2O_3 fibre composite, 205
the role of fiber morphology on the creep behavior of discontinuous fiber reinforced composites, 21
Fracture
microfracture mechanisms of fibre-reinforced aluminium composites, 143

Grain boundaries
effects of grain boundary deformation on the creep transition under the power law regime in an Al-Mg solid solution alloy, 43
Grain boundary sliding
effects of grain boundary sliding on the flow properties of Incoloy 800H, 33

Hot working
influence of oxygen on dynamic recrystallization during hot working of polycrystalline copper, 195

Incoloy 800H
effects of grain boundary sliding on the flow properties of Incoloy 800H, 33
Intermetallics
the mechanical behavior of some titanium trialuminide intermetallics prepared using mechanical milling techniques, 11
Ion bombardment
effect of Xe^+ ion bombardment during titanium deposition in nitrogen atmosphere, 91
Iron
in situ microfusion process in Al-Fe alloys, 167
microstructure and crystallographic features of lath martensite in Fe-10Cr-10Ni-2W maraging steel, L1

Laser glazing
rapidly solidified MC carbide morphologies of a laserglazed single-crystal nickel-base superalloy, 109

Magnesium
effects of grain boundary deformation on the creep transition under the power law regime in an Al-Mg solid solution alloy, 43
influence of temperature and strain-rate on superplastic elongation in a powder metallurgy Al-Zn-Mg composite reinforced with SiN_4 whiskers, L9
Martensite
microstructure and crystallographic features of lath martensite in Fe-10Cr-10Ni-2W maraging steel, L1
MC carbide
rapidly solidified MC carbide morphologies of a laserglazed single-crystal nickel-base superalloy, 109

Microfusion
in situ microfusion process in Al-Fe alloys, 167
Milling
the mechanical behavior of some titanium trialuminide intermetallics prepared using mechanical milling techniques, 11
Mullite
microstructure development and mechanical properties of Y_2O_3-doped tetragonal ZrO_2 polycrysals and mullite composites, 131

Nickel
interactions between liquid nickel and vitreous carbon, 217
microstructure and crystallographic features of lath martensite in Fe-10Cr-10Ni-2W maraging steel, L1
rapidly solidified MC carbide morphologies of a laserglazed single-crystal nickel-base superalloy, 109
Niobium
an experimental evaluation of the phase relationships and solubilities in the Nb-Cr system, 97
oxidation behavior of Cu-Nb microcomposites, 85
Nitrogen
effect of Xe^+ ion bombardment during titanium deposition in nitrogen atmosphere, 91

Oxidation
oxidation behavior of Cu-Nb microcomposites, 85
Oxygen
influence of oxygen on dynamic recrystallization during hot working of polycrystalline copper, 195
mechanisms of material removal and subsurface work hardening during low-stress abrasion of a squeeze cast aluminium alloy-Al_2O_3 fibre composite, 205
microstructure development and mechanical properties of Y_2O_3-doped tetragonal ZrO_2 polycrystals and mullite composites, 131

Peritectic solidification
peritectic solidification of Ti-Al-Ta alloys in the region of γ-TiAl, 153
Phase relationships
an experimental evaluation of the phase relationships and solubilities in the Nb-Cr system, 97
Plastics
plastic flow in WC-13wt.% Co at high temperatures, 125
Polycrystals
influence of oxygen on dynamic recrystallization during hot working of polycrystalline copper, 195
microstructure development and mechanical properties of Y_2O_3-doped tetragonal ZrO_2 polycrystals and mullite composites, 131
Precipitation
effect of aluminium on the equilibrium precipitation of a multicomponent f.c.c. carbonitride in microalloyed steels, L5
Primary explosives
comparison of two new surface treatment processes, laser induced shock waves and primary explosive: application to fatigue behaviour, 175

Rapid solidification
rapidly solidified MC carbide morphologies of a laserglazed single-crystal nickel-base superalloy, 109

Shock waves
comparison of two new surface treatment processes, laser induced shock waves and primary explosive: application to fatigue behaviour, 175

Silicon
  influence of temperature and strain-rate on superplastic elongation in a powder metallurgy Al–Zn–Mg composite reinforced with SiN_4 whiskers, L9
Single crystals
  rapidly solidified MC carbide morphologies of a laserglazed single-crystal nickel-base superalloy, 109
Sputtering
  phases in sputter-deposited Cu–Ta alloys, 211
Steel
  effect of aluminium on the equilibrium precipitation of a multicomponent f.c.c. carbonitride in microalloyed steels, L5
  microstructure and crystallographic features of lath martensite in Fe–10Cr–10Ni–2W maraging steel, L1
  tensile behaviour of a metastable austenitic stainless steel and its individual phase components, 77
Strain
  influence of temperature and strain-rate on superplastic elongation in a powder metallurgy Al–Zn–Mg composite reinforced with SiN_4 whiskers, L9
Stress
  mechanisms of material removal and subsurface work hardening during low-stress abrasion of a squeeze cast aluminium alloy–Al_2O_3 fibre composite, 205
  stress and the acicular ferrite transformation, 1
Sulphide reduction
  mechanically activated room temperature reduction of sulphides, 229
Sulphur
  mechanically activated room temperature reduction of sulphides, 229
Superplasticity
  influence of temperature and strain-rate on superplastic elongation in a powder metallurgy Al–Zn–Mg composite reinforced with SiN_4 whiskers, L9
Surface treatment processes
  comparison of two new surface treatment processes, laser induced shock waves and primary explosive: application to fatigue behaviour, 175

Tantalum
  peritectic solidification of Ti–Al–Ta alloys in the region of γ-TiAl, 153
  phases in sputter-deposited Cu–Ta alloys, 211
Tensiles
  tensile behaviour of a metastable austenitic stainless steel and its individual phase components, 77
Thermomechanical processing
  on the microstructure and thermo-mechanical processing of a titanium alloy IMI685, 63
Titanium
  damage mechanisms of SCS-6/Ti–6Al–4V composites under thermal-mechanical fatigue, 117
  effect of Xe^+ ion bombardment during titanium deposition in nitrogen atmosphere, 91
  on the microstructure and thermo-mechanical processing of a titanium alloy IMI685, 63
  peritectic solidification of Ti–Al–Ta alloys in the region of γ-TiAl, 153
  the mechanical behavior of some titanium trialuminide intermetallics prepared using mechanical milling techniques, 11
Tungsten
  microstructure and crystallographic features of lath martensite in Fe–10Cr–10Ni–2W maraging steel, L1
  plastic flow in WC–13wt.% Co at high temperatures, 125

Vanadium
  damage mechanisms of SCS-6/Ti–6Al–4V composites under thermal-mechanical fatigue, 117

Warm working
  effect of cold and warm working on microstructures and mechanical properties of alloy 718, 53

Xenon
  effect of Xe^+ ion bombardment during titanium deposition in nitrogen atmosphere, 91

Yttrium
  microstructure development and mechanical properties of Y_2O_3-doped tetragonal ZrO_2 polycrystals and mullite composites, 131

Zinc
  influence of temperature and strain-rate on superplastic elongation in a powder metallurgy Al–Zn–Mg composite reinforced with SiN_4 whiskers, L9
Zirconium
  microstructure development and mechanical properties of Y_2O_3-doped tetragonal ZrO_2 polycrystals and mullite composites, 131